

**CHAPTER 30****FLOOD PLAIN REGULATIONS**

**30.01 DEFINITIONS.** The following words and phrases, when used in this Chapter, shall have the following meanings:

1. "Basement" means any enclosed area of a building which has its floor or lowest level below ground level (subgrade) on all sides.
2. "Development" means any human change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations.
3. "Factory-built Home" means any structure designed for residential use which is wholly or in substantial part made, fabricated, formed or assembled in manufacturing facilities for installation or assembly and installation on a building site. For the purpose of this Chapter, factory-built homes include mobile homes, manufactured homes and modular homes and also include park trailers, travel trailers and other similar vehicles placed on a site for greater than 180 consecutive days.
4. "Factory-built Home Park" means a parcel or contiguous parcels of land divided into two or more factory-built home lots for rent or sale.
5. "Flood" means a general and temporary condition of partial or complete inundation of normally dry land areas resulting from the overflow of streams or rivers or from the unusual and rapid runoff of surface waters from any source.
6. "Flood Elevation" means the elevation floodwaters would reach at a particular site during the occurrence of a specific flood. For instance, the 100-year flood elevation is that elevation of floodwaters related to the occurrence of the 100-year flood.
7. "Flood Insurance Rate Map" means the official map prepared as part of (but published separately from) the Flood Insurance Study which delineates both the flood hazard areas and the risk premium zones applicable to the community.
8. "Flood Insurance Study" means a study initiated, funded, and published by the Federal Insurance Administration for the purpose of evaluating in detail the existence and severity of flood hazards; providing the City with the necessary information for adopting a flood plain management program; and establishing actuarial flood insurance rates.
9. "Flood Plain" means any land area susceptible to being inundated by water as

a result of a flood.

10. "Flood Plain Management" means an overall program of corrective and preventive measures for reducing flood damages and promoting the wise use of flood plains, including but not limited to emergency preparedness plans, flood control works, floodproofing and flood plain management regulations.

11. "Floodproofing" means any combination of structural or non-structural additions, changes, or adjustments to structures, including utility and sanitary facilities which will reduce or eliminate flood damage to such structures.

12. "Floodway" means the channel of a river or stream and those portions of the flood plains adjoining the channel, which are reasonably required to carry and discharge flood waters or flood flows so that confinement of flood flows to the floodway area will not result in substantially higher flood levels and flow velocities.

13. "Floodway Fringe" means those portions of the flood plain, other than the floodway, which can be filled, leveed, or otherwise obstructed without causing substantially higher flood levels or flow velocities.

14. "Lowest Floor" means the floor of the lowest enclosed area in a building including a basement except when all the following criteria are met:

A. The enclosed area is designed to flood to equalize hydrostatic pressure during floods with walls or openings that satisfy the provisions of Chapter 29; and

B. The enclosed area is unfinished (not carpeted, drywalled, etc.) and used solely for low damage potential uses such as building access, parking or storage; and

C. Machinery and service facilities (e.g., hot water heater, furnace, electrical service) contained in the enclosed area are located at least one (1) foot above the 100-year flood level; and

D. The enclosed area is not a "basement" as defined in this section.

In cases where the lowest enclosed area satisfies criteria A, B, C and D above, the lowest floor is the floor of the next highest enclosed area that does not satisfy the criteria above.

15. "New Construction (new buildings, factory-built home parks)" means those structures or development for which the start of construction commenced on or after the effective date of the

### Flood Insurance Rate Map.

16. "100-Year Flood" means a flood, the magnitude of which has a one (1) percent chance of being equalled or exceeded in any given year or which, on the average, will be equalled or exceeded at least once every one hundred (100) years.

17. "Structure" means anything constructed or erected on the ground or attached to the ground, including, but not limited to, buildings, factories, sheds, cabins, factory-built homes, storage tanks and other similar uses.

18. "Substantial Improvement" means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds fifty percent (50%) of the market value of the structure before the "start of construction" of the improvement. This term includes structures which have incurred "substantial damage" regardless of the actual repair work performed. The term does not, however, include either (a) any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement officer and which are the minimum necessary to assure safe living conditions, or (b) any alteration which will not preclude the structure's continued designation as a "historic structure."

19. "Substantial Damage" means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed fifty percent (50%) of the market value of the structure before the damage occurred.

30.02 STATEMENT OF PURPOSE. It is the purpose of this Chapter to promote the public health, safety and general welfare by minimizing flood losses with provisions designed to:

1. Reserve Flood Plain Area. Reserve sufficient flood plain area for the conveyance of flood flows so that flood heights and velocities will not be increased substantially.
2. Restrict Use. Restrict or prohibit uses which are dangerous to health, safety, or property in times of flood or which cause excessive increases in flood heights or velocities.
3. Vulnerable Uses Protected. Require that uses vulnerable to floods, including public facilities which serve such uses, be protected against flood damage at the time of initial construction.
4. Unsuitable Land Purchases. Protect individuals from buying lands which are unsuited for intended purposes because of flood hazard.
5. Flood Insurance. Assure that eligibility is maintained for property owners in the community to purchase flood insurance through the National Flood Insurance Program.

30.03 ENGINEERING METHODOLOGY. This Chapter relies upon engineering methodology for

analyzing flood hazards which is consistent with the standards established by the Department of Natural Resources.

1. Flood Magnitude and Frequency. Determination of flood magnitudes and the corresponding flood frequencies by statistical and engineering calculations which permits a consideration of such flood factors as expected frequency of occurrence, area inundated, and depth of inundation.
2. Water Surface Profiles. Calculation of water surface profiles based upon a hydraulic engineering analysis of the capacity of the stream channel and overbank areas to convey flood flows.
3. Floodway Delineation. Computation and delineation of a floodway, an area which must be reserved for conveyance of flood flows so that flood heights and velocities will not be substantially increased by future encroachment on the flood plain.

30.04 LANDS TO WHICH CHAPTER APPLIES. This Chapter shall apply to all lands within the jurisdiction of the City shown on the Official Flood Plain Zoning Map as being within the boundaries of the floodway, floodway fringe, general floodplain and shall flooding districts.

30.05 ESTABLISHMENT OF OFFICIAL FLOOD PLAIN ZONING MAP. The Flood Boundary and Floodway Map prepared as part of the Flood Insurance Study for the City dated October 16, 1992, and as amended after October 16, 1992, is hereby adopted by reference and declared to be the Official Flood Plain Zoning Map. The flood profiles and all explanatory material contained with the Flood Insurance Study and the Flood Insurance Rate Map are incorporated herein by reference and also declared to be a part of this Chapter.

30.06 RULES FOR INTERPRETATION OF DISTRICT BOUNDARIES. The boundaries of the zoning district shall be determined by scaling distances on the Official Flood Plain Zoning Map. Where interpretation is needed as to the exact location of boundaries of the district as shown on the Official Zoning Map the Council shall make the necessary interpretation. The persons contesting the location of the district boundary shall be given a reasonable opportunity to present their case and submit technical evidence.

30.07 COMPLIANCE. No structure or land shall hereafter be used and no structure shall be located, extended, converted or structurally altered without full compliance with the terms of this Chapter and other applicable regulations which apply to uses within the jurisdiction of this Chapter.

30.08 ABROGATION AND GREATER RESTRICTIONS. It is not intended by this Chapter to repeal, abrogate or impair any existing easements, covenants, or deed restrictions. However, where this Chapter imposes greater restrictions, the provision of this Chapter shall prevail. Any ordinances inconsistent with this Chapter are hereby repealed to the extent of the inconsistency only.

30.09 INTERPRETATION. In their interpretation and application, the provisions of this Chapter shall be held to be minimum requirements and shall be liberally construed in favor of the governing body and shall not be deemed a limitation or repeal of any other powers granted by state statutes.

30.10 WARNING AND DISCLAIMER OF LIABILITY. The degree of flood protection required by this Chapter is considered reasonable for regulatory purposes and is based on engineering and scientific methods of study. Larger floods may occur on rare occasions. Flood heights may be increased by man-made or natural causes, such as ice jams and bridge openings restricted by debris. This Chapter does not imply that areas outside the flood plain districts or land uses permitted within such districts will be free from flooding or flood damages. This Chapter shall not create liability on the part of the City or any officer or employee thereof for any flood damages that result from reliance on this Chapter or any administrative decision lawfully made thereunder.

30.11 ESTABLISHMENT OF ZONING DISTRICTS. The flood plain areas within the jurisdiction of this Chapter are hereby divided into the following districts:

1. Floodway District. The floodway district shall be consistent with the boundaries of the floodway as shown on the Official Flood Plain Zoning Map.
2. Floodway Fringe District. The floodway fringe district shall be those areas shown as floodway fringe on the Official: Flood plain Zoning Map.
3. General Flood Plain District. The general flood plain district shall be those areas shown on the Official Flood Plain Zoning Map as being within the approximate 100-year flood boundary.
4. Shallow Flooding District. The shallow flooding district shall be those areas shown on the Official Flood Plain Zoning Map as being within the 100 year flood boundary and identified on the Flood Insurance Rate Map as AO or AH zones.

30.12 PERMITTED USES IN THE FLOODWAY DISTRICT. The following uses shall be permitted within the Floodway District to the extent they are not prohibited by any other ordinance and provided they do not require placement of structures, factory-built homes, fill or other obstruction, the storage of materials or equipment, excavation, or alteration of a watercourse.

1. Agricultural Uses. Agricultural uses such as general farming, pasture, grazing, outdoor plant nurseries, horticulture, viticulture, truck farming, forestry, sod farming and wild crop harvesting.
2. Industrial-Commercial Uses. Industrial-commercial uses such as loading

areas, parking areas, airport landing strips.

3. Recreational Uses. Private and public recreational uses such as golf courses, tennis courts, driving ranges, archery ranges, picnic grounds, boat launching ramps, swimming areas, parks, wildlife and nature preserves, game farms, fish hatcheries, shooting preserves, target ranges, trap and skeet ranges, hunting and fishing areas, hiking and horseback riding trails.

4. Residential Uses. Residential uses such as lawns, gardens, parking areas and play areas.

5. Open-space Uses. Such other open-space uses similar in nature to the above uses.

**30.13 CONDITIONAL USES IN THE FLOODWAY DISTRICT.** The following uses which involve structures (temporary or permanent), fill, storage of materials or equipment may be permitted on]y upon issuance of a Conditional Use Permit by the Board of Adjustment as provided for in Section 30.24. Such uses must also meet the applicable provisions of the Floodway District Performance Standards.

1. Accessory Uses. Uses or structures accessory to open-space uses.
2. Amusement. Circuses, carnivals, and similar transient amusement enterprises.
3. Theaters, Car Lots, Signs. Drive-in theaters, new and used car lots, roadside stands, signs, and billboards.
4. Gravel Pit. Extraction of sands, gravel, and other materials.
5. Boating Facilities. Marinas, boat rentals, docks, piers, and wharves.
6. Utilities. Utility transmission lines, underground pipelines.
7. Other. Other uses similar in nature to uses described in Section 30.12 or Section 30.13 which are consistent with the provisions of Section 30.14 and the general spirit and purpose of this Chapter.

**30.14 PERFORMANCE STANDARDS IN THE FLOODWAY DISTRICT.** All Floodway District uses allowed as a Permitted or Conditional Use shall meet the following standards:

1. Flood Level Increase. No use shall be permitted in the Floodway District that would result in any increase in the 100-year flood level. Consideration of the effects

of any development on flood levels shall be based upon the assumption that an equal degree of development would be allowed for similarly situated lands.

2. Conditions. All uses within the Floodway District shall:
  - A. Be consistent with the need to minimize flood damage.
  - B. Use construction methods and practices that will minimize flood damage.
  - C. Use construction materials and utility equipment that are resistant to flood damage.
3. Capacity. No use shall affect the capacity or conveyance of the channel or floodway or any tributary to the main stream, drainage ditch, or any other drainage facility or system.
4. Flood Flow Resistance. Structures, buildings and sanitary and utility systems, if permitted, shall meet the applicable performance standards of the Floodway Fringe District and shall be constructed or aligned to present the minimum possible resistance to flood flows.
5. Damage Potential. Buildings, if permitted, shall have a low flood damage potential and shall not be for human habitation.
6. Injurious Material Storage. Storage of materials or equipment that are buoyant, flammable, explosive or injurious to human, animal or plant life is prohibited. Storage of other material may be allowed if readily removable from the Floodway District within the time available after flood warning.
7. Channel Changes. Watercourse alterations or relocations (channel changes and modifications) must be designed to maintain the flood carrying capacity within the altered or relocated portion. In addition, such alterations or relocations must be approved by the Department of Natural Resources.
8. Fill. Any fill allowed in floodway must be shown to have some beneficial purpose and shall be limited to the minimum amount necessary.
9. Pipeline Crossings. Pipeline river or stream crossings shall be buried in the streambed and banks or otherwise sufficiently protected to prevent rupture due to channel degradation and meandering or due to the action of flood flows.

30.15 PERMITTED USES IN THE FLOODWAY FRINGE DISTRICT. All uses within the

Floodway Fringe District shall be permitted to the extent that they are not prohibited by any other ordinance and provided they meet applicable performance standards of the Floodway Fringe District.

**30.16 PERFORMANCE STANDARDS FOR THE FLOODWAY FRINGE DISTRICT.** All uses must be consistent with the need to minimize flood damage and shall meet the following applicable performance standards.

1. Anchored. All structures shall be adequately anchored to prevent flotation, collapse or lateral movement of the structure, shall be constructed with materials and utility equipment resistant to flood damage, and shall be constructed by methods and practices that minimize flood damage.
2. Residential Buildings. All new or substantially improved residential structures shall have the lowest floor, including basements, elevated a minimum of 1.0 ft. above the 100-year flood level. Construction shall be upon compacted fill which shall, at all points, be no lower than 1.0 ft. above the 100-year flood level and extend at such elevation at least 18 feet beyond the limits of any structure erected thereon. Alternate methods of elevating (such as piers) may be allowed, subject to favorable consideration by the Board of Adjustment and issuance of a Conditional Use Permit, where existing topography, street grades, or other factors preclude elevating by fill. In such cases, the methods used must be adequate to support the structure as well as withstand the various forces and hazards associated with flooding. All new residential buildings shall be provided with a means of access which will be passable by wheeled vehicles during the 100-year flood.
3. Non-residential Buildings. All new or substantially improved non-residential buildings shall have the first floor (including basement) elevated a minimum of 1.0 ft. above the 100-year flood level, or together with attendant utility and sanitary systems, be floodproofed to such a level. When floodproofing is utilized, a professional engineer registered in the State shall certify that the floodproofing methods used are adequate to withstand the flood depths, pressures, velocities, impact and uplift forces and other factors associated with the 100-year flood; and that the structure, below the 100-year flood level, is watertight with walls substantially impermeable to the passage of water. A record of the

certification indicating the specific elevation (in relation to mean sea level) to which any structures are floodproofed shall be maintained by the Zoning Administrator.

4. **New and Substantially Improved Structures.** All new and substantially improved structures with fully enclosed areas below the "lowest floor" (not including basements) that are subject to flooding shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the entry and exit of floodwaters. Designs for meeting this requirement must either be certified by a registered professional engineer or meet or exceed the following minimum criteria:

A. A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.

B. The bottom of all openings shall be no higher than one foot above grade.

C. Openings may be equipped with screens, louvers, valves, or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.

New and substantially improved structures must be designed (or modified) and adequately anchored to prevent flotation, collapse or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy. New and substantially improved structures must be constructed with electrical, heating, ventilation, plumbing and air conditioning equipment and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.

5. **Factory-built Homes.** Factory-built homes including those placed in existing factory-built home parks or subdivisions shall be anchored to resist flotation, collapse or lateral movement. Factory-built homes including those placed in existing factory-built home parks or subdivisions shall be elevated on a permanent foundation such that the lowest floor of the structure is a minimum of one (1) foot above the 100-year flood level.

6. **Utility and Sanitary Systems.** Utility and sanitary systems shall meet the following standards:

A. All new and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of flood waters into the system as well as the discharge of effluent into flood waters. Wastewater treatment facilities shall be

provided with a level of flood protection equal to or greater than one (1) foot above the 100-year flood elevation.

B. On site waste disposal systems shall be located or designed to avoid impairment to the system or contamination from the system during flooding.

C. New or replacement water supply systems shall be designed to minimize or eliminate infiltration of flood waters into the system. Water supply treatment facilities shall be provided with a level of protection equal to or greater than one (1) foot above the 100-year flood elevation.

D. Utilities such as gas and electrical systems shall be located and constructed to minimize or eliminate flood damage to the system and the risk associated with such flood damaged or impaired systems.

7. Injurious Material. Storage of materials and equipment that are flammable, explosive or injurious to human, animal or plant life is prohibited unless elevated a minimum of one (1) foot above the 100-year flood level. Other material and equipment must either be similarly elevated or (i) not be subject to major flood damage and be anchored to prevent movement due to flood waters or (ii) be readily removable from the area within the time available after flood warning.

8. Flood Control Structures. Flood control structural works such as levees, floodwalls, etc. shall provide, at a minimum, protection from a 100-year flood with a minimum of 3 feet of design freeboard and shall provide for adequate interior drainage. In addition, structural flood control works shall be approved by the Department of Natural Resources.

9. Capacity. No use shall affect the capacity or conveyance of the channel or floodway of any tributary to the main stream, drainage ditch, or other drainage facility or system.

10. Subdivisions. Subdivisions (including factory-built home parks and subdivisions) shall be consistent with the need to minimize flood damages and shall have adequate drainage provided to reduce exposure to flood damage. Development associated with subdivision proposals shall meet the applicable performance standards. Subdivision proposals intended for residential development shall provide all lots with a means of vehicular access that will remain dry during occurrence of the 100-year flood.

11. The exemption of detached garages, sheds and similar structures from the 100-year flood elevation requirements may result in increased premium rates for insurance coverage of the structure and contents; however, said detached garages, sheds and similar accessory type structures are exempt from the 100-year flood elevation requirements when:

A. The structure shall not be used for human habitation.

- B. The structure shall be designed to have low flood damage potential.
- C. The structure shall be constructed and placed on the building site so as to offer minimum resistance to the flow of floodwaters.
- D. The structure shall be firmly anchored to prevent flotation which may result in damage to other structures.
- E. The structure's service facilities such as electrical and heating equipment shall be elevated or floodproofed to at least one (1) foot above the 100-year flood level.

30.17 PERMITTED USES IN THE GENERAL FLOOD PLAIN DISTRICT. The following uses shall be permitted within the General Flood Plain District to the extent they are not prohibited by any other ordinance and provided they do not require placement of structures, factory-built homes, fill or other obstruction; the storage of materials or equipment; excavation; or alteration of a watercourse.

1. Agricultural. Agricultural uses such as general farming, pasture, grazing, outdoor plant nurseries, horticulture, viticulture, truck farming, forestry, sod farming, and wild crop harvesting.
2. Industrial-Commercial. Industrial-commercial uses such as loading areas, parking areas, airport landing strips.
3. Recreational. Private and public recreation uses such as golf courses, tennis courts, driving ranges, archery ranges, picnic grounds, boat launching ramps, swimming areas, parks, wildlife and nature preserves, game farms, fish hatcheries, shooting preserve, target ranges, trap and skeet ranges, hunting and fishing areas, hiking and horseback riding trails.
4. Residential. Residential uses such as lawns, gardens, parking areas and play areas.

30.18 CONDITIONAL USES IN THE GENERAL FLOOD PLAIN DISTRICT. Any use which involves placement of structures, factory-built homes, fill or other obstructions; the storage of materials or equipment; excavation; or alteration of a watercourse may be allowed only upon issuance of a Conditional Use Permit by the Board of Adjustment as provided for in Section 30.23. All such uses shall be reviewed by the Department of Natural Resources to determine whether the land involved is either wholly or partly within the floodway or floodway fringe and to determine the 100-year flood level. The applicant shall be responsible for providing the Department with sufficient technical information to make the determination.

30.19 PERFORMANCE STANDARDS IN GENERAL FLOOD PLAIN DISTRICT. All

conditional uses, or portions thereof, to be located in the floodway as determined by the Department of Natural Resources shall meet the applicable provisions and standards of the Floodway District and the Floodway Fringe District.

30.20 PERMITTED USES IN THE SHALLOW FLOODING DISTRICT. All uses within the Shallow Flooding District shall be permitted to the extent that they are not prohibited by any other ordinance and provided they meet the applicable performance standards of the Shallow Flooding District.

30.21 PERFORMANCE STANDARDS IN THE SHALLOW FLOODING DISTRICT. The performance standards for the Shallow Flooding District shall be the same as the performance standards for the Floodway Fringe District with the following exceptions:

1. AO Zone. In shallow flooding areas designated as an AO Zone on the Flood Insurance Rate Map, the minimum floodproofing/flood protection elevation shall be equal to the number of feet as specified on the Rate Map above the crown of the nearest street.
2. AH Zone. In shallow flooding areas designated as an AH Zone on the Flood Insurance Rate Map, the minimum floodproofing/flood protection elevation shall be equal to the elevation as specified on the Rate Map.

30.22 ADMINISTRATION, APPOINTMENT, DUTIES AND RESPONSIBILITIES OF ZONING ADMINISTRATOR. The Zoning Administrator designated by the Council shall administer and enforce this Chapter and will herein be referred to as the Administrator. The duties and responsibilities of the Administrator shall include, but not necessarily be limited to, the following:

1. Review For Compliance. Review all flood plain development permit applications to insure that the provisions of this Chapter will be satisfied.
2. Required Permits. Review all flood plain development permit applications to insure that all necessary permits have been obtained from Federal, State or local government agencies.
3. Record Floor Elevation. Record and maintain a record of (i) the elevation (in relation to National Geodetic Vertical Datum) of the lowest floor of all new or substantially improved buildings or (ii) the elevation to which new or substantially improved structures have been floodproofed.
4. Alteration of Water Course. Notify adjacent communities and/or counties and the Department of Natural Resources prior to any proposed alteration or

relocation of a watercourse and submit evidence of such notifications to the Federal Insurance Administrator.

5. Records. Keep a record of all permits, appeals, variances and such other transactions and correspondence pertaining to the administration of this Chapter.
6. Annual Report. Submit to the Federal Insurance Administrator an annual report concerning the community's participation, utilizing the annual report form supplied by the Federal Insurance Administration.
7. Annexation. Notify the Federal Insurance Administration of any annexations or modifications to the community's boundaries.
8. Subdivision Proposals. Review subdivision proposals to insure such proposals are consistent with the purpose of this Chapter and advise the City Council of potential conflicts.

30.23 FLOOD PLAIN DEVELOPMENT PERMIT. Flood plain development shall be subject to the following:

1. Permit Required. A Flood Plain Development Permit issued by the Administrator shall be secured prior to initiation of any flood plain development (any human change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, filling, grading, paving, excavation or drilling operations) including the placement of factory-built homes.
2. Application for Permit. Application for a Flood Plain Development Permit shall be made on forms supplied by the Administrator and shall include the following information:
  - A. Description of the work to be covered by the permit for which application is to be made.
  - B. Description of the land on which the proposed work is to be done (i.e. - lot, block, tract, street address or similar description that will readily identify and locate the work to be done.
  - C. Indication of the use or occupancy for which the proposed work is intended.
  - D. Elevation of the 100-year flood.

E. Elevation (in relation to mean sea level) of the lowest floor (including basement) of buildings or of the level to which a building is to be floodproofed.

F. For buildings being improved or rebuilt, the estimated cost of improvements and market value of the building prior to the improvements.

G. Such other information as the Administrator deems reasonably necessary for the purpose of this Chapter.

3. Action on Permit Application. The Administrator shall, within a reasonable time, make a determination as to whether the proposed flood plain development meets the applicable provisions and standards of this Chapter and shall approve or disapprove the application. For disapprovals, the applicant shall be informed, in writing, of the specific reasons therefor. The Administrator shall not issue permits for conditional uses or variances except as directed by the Board of Adjustment.

4. Construction and Use to be as Provided in Application and Plans. Flood Plain Development Permits, issued on the basis of approved plans and applications, authorize only the use, arrangement, and construction set forth in such approved plans and applications and no other use, arrangement or construction. Any use, arrangement, or construction at variance with that authorized shall be deemed a violation of this Chapter and shall be punishable as provided in Section 30.26. The applicant shall be required to submit certification by a professional engineer or land surveyor, as appropriate, registered in the State, that the finished fill, building floor elevations, floodproofing, or other flood protection measures were accomplished in compliance with the provisions of this Chapter, prior to the use or occupancy of any structure.

30.24 CONDITIONAL USES, APPEALS AND VARIANCES. Conditional uses, appeals and variances shall be subject to the following:

1. Appointment and Duties of Board of Adjustment. A Board of Adjustment is hereby established which shall hear and decide applications for conditional uses upon which the Board is authorized to pass under this Chapter and requests for variances to the provisions of this Chapter; and shall take any other action which is required of the Board.

2. Conditional Uses. Requests for conditional uses shall be submitted to the Administrator, who shall forward such to the Board of Adjustment for consideration. Such requests shall include information ordinarily submitted with applications as well as any additional information deemed necessary by the Board of Adjustment.

3. Appeals. Where it is alleged there is an error in any order, requirement, decision, or determination made by an administrative official in the enforcement or administration of this Chapter, the aggrieved party may appeal such action. The notice of appeal shall be filed with the Board of Adjustment and with the official from whom the appeal is taken and shall set forth the specific reason for the appeal. The official from whom the appeal is taken shall transmit to the Board of Adjustment all the papers constituting the record upon which the action appealed from was taken.

4. Variances. The Board of Adjustment may authorize upon request in specific cases such variances from the terms of this Chapter that will not be contrary to the public interest, where owing to special conditions a literal enforcement of the provisions of this Chapter will result in unnecessary hardship. Variances granted must meet the following applicable standards:

A. No variance shall be granted for any development within the Floodway District which would result in any increase in floods during the occurrence of the 100-year flood.

B. Variances shall only be granted upon a showing of good and sufficient cause, a determination that failure to grant the variance would result in exceptional hardship to the applicant, and a determination that the granting of the variance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisances, cause fraud on or victimization of the public.

C. Variances shall only be granted upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.

D. In cases where the variance involves a lower level of flood protection for buildings than what is ordinarily required by this Chapter, the applicant shall be notified in writing over the signature of the Administrator that the issuance of a variance will result in increased premium rates for flood insurance up to amounts as high as \$25 for \$100 of insurance coverage and such construction increases risks to life and property.

E. All variances granted shall have the concurrence or approval of the Department of Natural Resources.

5. Hearings and Decisions of the Board of Adjustment. Upon the filing with the Board of Adjustment of an appeal, an application for a conditional use or a request for a variance, the Board shall hold a public hearing. The Board shall fix a reasonable time for the hearing and give public notice thereof, as well as due notice to parties in interest. At the hearing, any party may appear in person or by agent or attorney and present written or oral evidence. The Board may require the appellant or applicant to provide such information as is reasonably deemed necessary and may request the technical assistance and/or evaluation of a professional engineer or other expert person or agency, including the Department of Natural Resources. The Board shall arrive at a decision on an appeal, conditional use or variance within a reasonable time. In passing upon an appeal, the Board may, so long as such action is in conformity with the provisions of this Chapter, reverse or affirm, wholly or in part, or modify the order, requirement, decision, or determination appealed from, and it shall make its decision, in writing, setting forth the findings of fact and the reasons for its decision. In granting a conditional use or variance, the Board shall consider such factors as contained in this section and all other relevant sections of this Chapter and may prescribe such conditions as contained in Section 30.24(7).

6. Factors Upon Which The Decision of The Board Shall Be Based. In passing upon applications for conditional use or requests for variances, the Board shall consider all relevant factors specified in other sections of this Chapter and:

A. The danger to life and property due to increased flood heights or velocities caused by encroachments.

B. The danger that materials may be swept on to other lands or downstream to the injury of others.

C. The proposed water supply and sanitation systems and the ability of these systems to prevent disease, contamination and unsanitary conditions.

D. The susceptibility of the proposed facility and its contents to flood damage and the effect of such damage on the individual owner.

E. The importance of the services provided by the proposed facility to the community.

F. The requirements of the facility for a flood plain location.

G. The availability of alternative locations not subject to flooding for the proposed use.

H. The compatibility of the proposed use with existing development and development anticipated in the foreseeable future.

I. The relationship of the proposed use to the comprehensive plan and flood plain management program for the area.

J. The safety of access to the property in times of flood for ordinary and emergency vehicles.

K. The expected heights, velocity, duration, rate of rise and sediment transport of the flood water expected at the site.

L. Such other factors which are relevant to the purpose of this Chapter.

7. Conditions Attached To Conditional Uses or Variances. Upon consideration of the factors listed above, the Board may attach such conditions to the granting of conditional uses or variances as it deems necessary to further the purpose of this Chapter. Such conditions may include, but not necessarily be limited to:

A. Modification of waste disposal and water supply facilities.

B. Limitation on periods of use and operation.

C. Imposition of operational controls, sureties, and deed restrictions.

D. Requirements for construction of channel modification, dikes, levees, and other protective measures, provided such are approved by the Department of Natural Resources and are deemed the only practical alternative to achieving the purposes of this Chapter.

E. Floodproofing Measures. Floodproofing measures shall be designed consistent with the flood protection elevation for the particular area, flood velocities, durations, rate of rise, hydrostatic and hydrodynamic forces and other factors associated with the regulatory flood. The Board of Adjustment shall require that the applicant submit a plan or document certified by a registered professional engineer that the floodproofing measures are consistent with the regulatory flood protection elevation and associated flood

factors for the particular area. Such floodproofing measures may include, but are not necessarily limited to the following:

- (1) Anchorage to resist flotation and lateral movement.
- (2) Installation of watertight doors, bulkheads, and shutters, or similar methods of construction.
- (3) Reinforcement of walls to resist water pressures.
- (4) Use of paints, membranes, or mortars to reduce seepage of water through walls.
- (5) Addition of mass or weight structures to resist flotation.
- (6) Installation of pumps to lower water levels in structures.
- (7) Construction of water supply and waste treatment systems so as to prevent the entrance of flood waters.
- (8) Pumping facilities or comparable practices for subsurface drainage systems for building to relieve external foundation wall and basement flood pressures.
- (9) Construction to resist rupture or collapse caused by water pressure or floating debris.
- (10) Installation of valves or controls on sanitary and storm drains which will permit the drains to be closed to prevent backup sewage and stormwaters into the buildings or structures.

(11) Location of all electrical equipment, circuits and installed electrical appliances in a manner which will assure they are not subject to flooding.

F. Appeals To The Court. Any person or persons, jointly or severally, aggrieved by any decision of the Board of Adjustment may present to a court of record a petition, duly verified, setting forth that such decision is illegal, in whole or in part, specifying the grounds of the illegality. Such petition shall be presented to the court within thirty (30) days after the filing of the decision in the office of the Board.

30.25 NONCONFORMING USES. A structure or the use of a structure on land which was lawful before the May 31, 1979, but which is not in conformity with the provisions of this Chapter may be continued subject to the following conditions:

1. Increased Nonconformance. No such use shall be expanded, changed, enlarged or altered in a way which increases its nonconformity.
2. Increased Value. No structural alteration, addition, or repair to any nonconforming structure over the life of the structure shall exceed fifty (50) percent of its value at the time of its becoming a nonconforming use, unless the structure is permanently changed to a conforming use.
3. Use Discontinued. If such use is discontinued for twenty-four (24) consecutive months, any future use of the building premises shall conform to this Chapter. The assessor shall notify the Administrator in writing of instances of nonconforming uses which have been discontinued for twenty-four (24) months.
4. Use Destroyed. If any nonconforming use or structure is destroyed by any means, including floods, to an extent of fifty (50) percent or more of its value prior to destruction, it shall not be reconstructed except in conformity with the provisions of this Chapter.
5. Nuisances. Uses or adjuncts thereof which are or become nuisances shall not be entitled to continue as nonconforming uses.
6. Conditional Use or Variance. Except as provided in Section 30.25(5), any use which has been permitted as a conditional use or variance shall be considered a conforming use.

30.26 PENALTIES FOR VIOLATION. Violations of the provisions of this Chapter or failure to comply with any of its requirements (including violations of conditions and safeguards established in connection with grants of conditional uses or variances) shall constitute a misdemeanor. Each day such violation continues shall be considered a separate offense. Nothing herein contained shall prevent the City from taking such other lawful action as is necessary to prevent or remedy any violation.

30.27 AMENDMENTS. No amendment, supplement, change, or modification to this Chapter shall be undertaken without prior approval from the Department of Natural Resources.